VALID TO 31 Dec Australasian Certification Authority for Reinforcing and Structural Steels Ltd





CERTIFICATE OF APPROVAL

Product Conformity Certification

This is to certify that

HISTEEL Co., Ltd. INCHEON 1ST MILL

at

89B-4L, 673-3, Gojan-dong

Namdong-gu INCHEON Korea, Republic of 405-819

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the Standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

SCOPE OF CERTIFICATION

Manufacture of cold-formed structural steel hollow sections to AS/NZS 1163:2016

plus the requirements of the "Materials" and "Fabrication" sections of AS 4100;2020 Steel structures, or AS/NZS 5131:2016 Structural steelwork - Fabrication and erection, or AS/NZS 5100.6:2017 Bridge design - Steel and Composite, or the Materials and Brittle Fracture section of NZS 3404:2009 Steel Structures Standard - Materials fabrication and construction.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
200208	2	25 February 2020	01 January 2025	31 December 2025

SIGNED FOR ACRS

Andrew Wheeler.

Executive Director

AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 128-01 200208









CERTIFICATE OF APPROVAL

Product Conformity Certification

Certificate Number: 200208

HISTEEL Co., Ltd. INCHEON 1ST MILL

at

89B-4L, 673-3, Gojan-dong

Namdong-gu INCHEON Korea, Republic of 405-819



Products assessed by ACRS to the following Standards:

Cold-formed structural steel hollow sections to AS/NZS 1163:2016

SHS:

Size 100x100 mm to 300x300 mm - Wall Thickness 4.0 to 12.5 mm - Grade C350, C350L0, C450, C450L0

RHS:

Size 75x125 mm to 300x200 mm - Wall Thickness 4.0 to 12.5 mm - Grade C350, C350L0, C450, C450L0

Approved Company Information

Marking



Tag



To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 128-01 200208

